



**BONZER 7**  
TILES  
INSPIRED BY YOU

AN ESSENCE OF  
*Aesthetic*  
SENSE.


**BONZER 7**  
TILES  
INSPIRED BY YOU

Corp. Office:  
202, Dev Arc, Opp. Iskon Temple,  
S.G. Highway, Ahmedabad 380 015.  
Gujarat, INDIA.  
Ph.: +91 79 6612 5541 /, Fax: +91 79 6612 5600  
Email: [contact@bonzer7.com](mailto:contact@bonzer7.com), [info@bonzer7.com](mailto:info@bonzer7.com)  
[www.bonzer7.com](http://www.bonzer7.com)  
Toll Free No. 1800 123 4475



DIGITAL FLOOR TILES  
**600x600mm**

[www.bonzer7.com](http://www.bonzer7.com)



BEAUTY  
IS OUR CULTURE

## About Us

With our unvarying focus towards creating a comprehensive collection of formidable products and exceptional service, we have fastly become one of the front-runners in the ceramic space. We aspire to use our expertise and ardor to turn your dreams into reality.

We are always striving to upgrade our technology to manufacture superior products. At Bonzer7, we follow the adage 'Inspired By You'. It is a priority for us to meet the expectations of our customers fittingly. Our efforts are directed towards providing our customers new designs with unmatched quality.

A testament to our 'customer first approach' is our happy customers. We have become the preferred brand of country's prime architects, interior designers, custom home builders, developers and astute homeowners in a short span of time.



### QUALITY THAT IS STAMPED BY AUTHORITIES OUR CERTIFICATIONS AND ACCREDITATIONS

Bonzer7 has prioritized quality in all its endeavors and the same has been recognized by authorities. We have received certain certifications that boast our adherence to market standards and established procedures. We are also the proud recipients of 'Power Brands Rising Star' - a recognition bestowed upon us by Indian customers.

# The radiant sheen

## augmenting grandeur

Glossy tiles have shiny surfaces and have an enamel coating that reflects light. Glossy Tiles are ideal for small areas, as they make any area look brighter and more spacious. These tiles are available in 600x600mm.

Matt finish tiles are perfect for imparting a traditional look to any space. Matt finish tiles are a preferred material for outdoor applications due to their anti-slip feature and durability.



DIGITAL FLOOR TILES  
600x600mm

# I N D E X

88	25
MATT   WOODEN	SUGAR
PG. 06   PG. 14	PG. 31

-  Matt Finish
-  Wooden Finish
-  Abrasion Resistant
-  Anti Skid Resistant
-  Sugar Finish
-  Floor Tiles
-  Scratch Resistant
-  Digital Floor



DIGITAL FLOOR TILES

PEI 5  
COMPLIANT

Size:  
600x600mm

Finish:  
Matt



Matt  
Finish




Floor  
Tiles





DIGITAL FLOOR TILES  
600x600mm


Finish: **Matt**



ALPAS CREMA



ALPAS WHITE



EVONA CREMA



EVONA BROWN



CELINIA CREMA



CELINIA GREY



EVONA GREY




EVONA BLACK



DESTINA CREMA



ROCKER GREY



ELECTO BEIGE



ELECTO GREY



DIGITAL FLOOR TILES  
600x600mm

Finish: **Matt**



Matt  
Finish




Floor  
Tiles



Abrasion  
Resistant



Anti Skid  
Resistant



Scratch  
Resistant



Digital  
Floor



INSPIRED BY YOU



NEW

TRAVENTO GOLD



NEW

TRAVENTO GREY



NEW

MERANTI BEIGE



NEW

MERANTI CLASSIC




NEW

ITALIA VERDE




NEW

ITALIA BROWN



NEW

EXOTIC BROWN




NEW

EXOTIC GREY




NEW

NEWTON BROWN




NEW

CARVELLA WHITE



NEW

TERRAZZO BROWN



NEW

TERRAZZO GREY



DIGITAL FLOOR TILES  
600x600mm

Finish: **Matt**



Matt  
Finish



Floor  
Tiles



Abrasion  
Resistant



Anti Skid  
Resistant



Scratch  
Resistant




Digital  
Floor



CONCRETE CREMA



CONCRETE BROWN



CONCRETE GREY



CONCRETE DARK GREY





DIGITAL FLOOR TILES

PEI 5  
COMPLIANT

Size:  
600x600mm

Finish:  
Matt



Matt  
Finish




Floor  
Tiles





DIGITAL FLOOR TILES  
600x600mm

Finish: **Matt**



ALVINO



AVONE



WOOD FRAME



DOUGLAS WOOD



EPOXY



MATRIX WOOD



IRIS WOOD



ALPINE WOOD




RIGA WOOD



DESIRE DECOR



ARROW WOOD BROWN



ARROW WOOD GREY



DIGITAL FLOOR TILES  
600x600mm

Finish: **Matt**



Matt  
Finish



Floor  
Tiles



Abrasion  
Resistant



Anti Skid  
Resistant



Scratch  
Resistant



Digital  
Floor



NINJA WOOD



PINE WOOD



TIVOLI WOOD



TEAK WOOD



ATKA WOOD



PROVENCE WOOD



FLORIS BROWN



FLORIS BEIGE



ALIX WOOD



LAMA WENGE



SAVIA WOOD



VISTA WOOD



DIGITAL FLOOR TILES

PEI 5  
COMPLIANT

Size:  
600x600mm

Finish:  
Matt



Matt  
Finish



Floor  
Tiles





DIGITAL FLOOR TILES  
600x600mm

Finish: **Matt**



Matt  
Finish



Floor  
Tiles



Abrasion  
Resistant



Anti Skid  
Resistant



Scratch  
Resistant



Digital  
Floor




LEGNO BEIGE



LEGNO BROWN



NEIL WHITE



BOTTOCHINO CREMA



BISQUE BEIGE



BISQUE BLANCO



SATUARY WHITE



TRANTO BEIGE



ONIS GREY



ONIS ICE



VANADIO CREMA



VANADIO FANTA



DIGITAL FLOOR TILES  
600x600mm

Finish: **Matt**



Matt  
Finish



Floor  
Tiles



Abrasion  
Resistant




Anti Skid  
Resistant




Scratch  
Resistant



Digital  
Floor



JERTE CREMA



JERTE BROWN



LISTELO GREY



LISTELO ICE



ALBINA BEIGE



DIANA CREMA




GRIGIA BROWN



GRIGIA CREAM



ROCK GREY



ROCK BIANCO



GRIGIA FAIR



GRIGIA GREY



DIGITAL FLOOR TILES

PEI 5 COMPLIANT



Size:  
600x600mm

Finish:  
Matt



Matt  
Finish



Floor  
Tiles




DIGITAL FLOOR TILES  
600x600mm


Finish: **Matt**




CELERIO GREY



3D TRINGLE



GLIMS GREY



GLIMS GREY DARK



CELERIO DECOR



GLIMS CREMA



CELERIO BLUE



GLIMS BROWN





DIGITAL FLOOR TILES

PEI 5  
COMPLIANT

Size:  
600x600mm

Finish:  
Sugar



Sugar  
Finish




Floor  
Tiles





DIGITAL FLOOR TILES  
600x600mm

Finish: Sugar




SAND GRANGE



LUMBER GREY




DREAMWOOD SILVER



OAKWOOD NATURAL



LUMBER BEIGE



LUMBER CLASSIC



TARIMA WOOD



EMOTO BROWN



DECK GREY



DECK BROWN



PALADIO BROWN





PALADIO GREY



DIGITAL FLOOR TILES  
600x600mm

Finish: Sugar




MILA MULTI DÉCOR



MILA CHOCO DÉCOR



MYSTONE BROWN



PATINATO OAK



BOELA CREMA



BOELA GREY



CUBIX BEIGE





CUBIX BIANCO





DIGITAL FLOOR TILES  
600x600mm

Finish: Sugar



ABIES WOOD



JACQUARD NATURAL




ZEX WOOD



MAPPLE WOOD




APEX WOOD






DIGITAL FLOOR TILES  
600x600mm

Finish: **Wooden**



CATANIA PINE



WOOD SHED



GRIT OAK



ICONIC PRADO

## TECHNICAL SPECIFICATION

CHARACTERISTICS				
(A) DIMENSION & SURFACE QUALITY	Requirement as per ISO 13006:2012 Gr B1la 3.0% ≤ 6.0%	Requirement as per IS 15622:2017 Gr B1la 3.0% ≤ 6.0%	BONZER7 Value	Test Method
■ Deviation In Length & Width	± 0.6%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
⌘ Deviation In Thickness	± 5.0%	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
■ Straightness of Edge	± 0.5%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
■ Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
↔ Surface Flatness	± 0.5%	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
■ Surface Flatness	Min 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
☂ Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0%, Ind 6.2 Max.	3.0 ≤ E ≤ 6.0%, Ind 6.2 Max.	4.0-5.5%	ISO 10545 Part-3 IS 13630 Part-2
✂ Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr. 22, Ind. Min. 20	≥ 27 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
⚡ Breaking Strength in N	1000 N Min.	1100 N Min.	> 1200 N	ISO 10545 Part-4 IS 13630 Part-6
🌀 Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	PEI III (Glossy) PEI IV & IV+ (Matt)	ISO 10545 Part-7 IS 13630 Part-11
🔥 Thermal Shock Resistance	10 cycle Min.	10 cycle Min.	No Damage after 10 cycles	ISO 10545 Part-9 IS 13630 Part-5
💧 Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
📏 Craze Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
❄ Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
🔪 Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 7	EN 101 IS 13630 Part-13
🧴 Resistance To House hold Chemicals	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
🧪 Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
🍷 Stain Resistance	Min Class 3	Min Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

### PACKING DETAILS:

Size. (MM)	Thickness	Weight (Kg.)	No. Of Tiles/set	Area Sq.mtr/box
600x600mm	9.6 mm	28.5 Kg.	4 Pcs	1.44 M <sup>2</sup>

### APPLICATION

